

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
10/647,162	08/22/2003	Donald E. Weder	8403.964	1490		
30589	7590 02/17/2004		EXAMINER			
DUNLAP, C	DUNLAP, CODDING & ROGERS P.C.			GELLNER, JEFFREY L		
PO BOX 1637 OKLAHOMA	70 CITY, OK 73113	,	ART UNIT	PAPER NUMBER		
			3643			

DATE MAILED: 02/17/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

				_	00				
	Application	on N .	Applicant(s)	()	W.				
	10/647,16	62	WEDER, DONALD	E.					
Office Action Summary	Examiner		Art Unit						
	Jeffrey L.		3643						
The MAILING DATE of this communication ap Period for Reply	ppears on the	cov rsheet with	the correspondence add	fress					
A SHORTENED STATUTORY PERIOD FOR REP THE MAILING DATE OF THIS COMMUNICATION - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a re - If NO period for reply is specified above, the maximum statutory perio - Failure to reply within the set or extended period for reply will, by statu, Any reply received by the Office later than three months after the mail earned patent term adjustment. See 37 CFR 1.704(b).	I. 1.136(a). In no eve eply within the state d will apply and wi ute, cause the app	ent, however, may a reputery minimum of thirty length of the SIX (6) MONTI lication to become ABA	oly be timely filed (30) days will be considered timely IS from the mailing date of this co NDONED (35 U.S.C. § 133).						
Status									
1) Responsive to communication(s) filed on 22.	Auaust 2003								
· · · · · · · · · · · · · · · · · · ·									
,—	, -								
Disposition of Claims									
4) ☐ Claim(s) 1-15 is/are pending in the application 4a) Of the above claim(s) is/are withdrest is/are allowed. 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-15 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and are subject.	awn from co								
Application Papers									
9) The specification is objected to by the Examir	ner.								
)) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.								
Applicant may not request that any objection to the									
Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the I					1.				
Priority under 35 U.S.C. § 119									
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority docume 2. Certified copies of the priority docume 3. Copies of the certified copies of the priority docume * See the attached detailed Office action for a list	nts have bee nts have bee iority docume au (PCT Rul	en received. en received in Ap ents have been r e 17.2(a)).	plication No eceived in this National	Stage					
Attachment(s)									
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/0 Paper No(s)/Mail Date <u>22 August 2003</u>. 	98)	Paper No(s)	immary (PTO-413) /Mail Date formal Patent Application (PTC)-152)					

Art Unit: 3643

DETAILED ACTION

Priority

Examiner considers the claims in the instant invention to be drawn to Figs. 20-22. Since the comparable figures in US 6,385,904 B1 show a bottom gusset (26r of Figs. 20 and 21 in 6,385,904 B1) the priority of the instant Application is considered to be 18 September 2001, the filing date of 09/954,665 which is abandoned.

Claim Rejections - 35 USC §103

The following is a quotation of 35 U.S.C. §103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1, 3-7, 8,10,11,12,14, and 15 are rejected under 35 U.S.C. §103(a) as being unpatentable over de Klerk et al. (US 5,228,234; the 7th document from the bottom of page 5 of Applicant's 1449) in view of Geigel (US 3,357,152; the 2nd document from the bottom of page 2 of Applicant's 1449).

As to Claim 1, de Klerk et al. discloses a flexible floral sleeve (Fig. 3) for containing a pot, comprising: a flattened body having a first panel, a second panel, an upper end, a left side edge absent a gusset (Fig. 3), lower end having a bottom edge (Fig. 3), a right side edge absent a gusset (Fig.3), and an inner retaining space, the flattened body further comprising a lower portion (region generally around 30 of Fig. 3) and an upper portion (35 of Fig. 3) which is detachable from the lower portion via a detaching element (34 of Fig. 3) between the upper

Art Unit: 3643

portion and lower portion, and wherein the left side edge and the right side edge are angled inwardly near the lower end to form a half hexagonal shape (region generally around 33 of Fig. 3) in the lower end of the flattened body, and the flattened body absent a gusset in the lower end. Not disclosed is the bottom edge of the lower end comprises a straight seal between the left side edge and the right side edge, and the lower portion of the floral sleeve is completely tapered between the half hexagonal shape in the lower end and the detaching element. Geigel, however, discloses a bottom edge of the lower end comprises a straight seal between the left side edge and the right side edge (26 of Fig. II; col. 1 lines 43-47). It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the sleeve of de Klerk et al. by having a straight seal in the lower end so that the bag does not leak water when a floral grouping is place in the sleeve and further to have the sleeve completely tapered between the lower end and the detaching element so as to make a more "smooth" profile so as to meet consumer demand.

As to Claim 3, de Klerk et al. as modified by Geigel further disclose the floral sleeve sized to surround a floral grouping and pot. (Fig. 3).

As to Claims 4-6, de Klerk et al. as modified by Geigel further disclose the floral sleeve with a nonlinear, scalloped skirt portion (region around end of leadline of 32 in Fig. 3).

As to Claim 7, de Klerk et al. as modified by Geigel further disclose the floral sleeve with a line of perforations (34 of Fig. 3).

As to Claim 8, de Klerk et al. discloses a flexible floral sleeve (Fig. 3) for containing a pot, comprising: a flattened body having a first panel, a second panel, an upper end, a left side

Art Unit: 3643

edge absent a gusset (Fig. 3), lower end having a bottom edge (Fig. 3), a right side edge absent a gusset (Fig.3), and an inner retaining space, the flattened body further comprising a lower portion (region generally around 30 of Fig. 3) and an upper portion (35 of Fig. 3) which is detachable from the lower portion via a detaching element (34 of Fig. 3) between the upper portion and lower portion, and the lower portion comprising a skirt portion (region around end of leadline of 32 in Fig. 3), the upper edge having an angular pattern (defining 32 as having angles). wherein the left side edge and the right side edge are angled inwardly near the lower end to form a half hexagonal shape (region generally around 33 of Fig. 3) in the lower end of the flattened body, and the flattened body absent a gusset in the lower end. Not disclosed is the bottom edge of the lower end comprises a straight seal between the left side edge and the right side edge, and the lower portion of the floral sleeve is completely tapered between the half hexagonal shape in the lower end and the detaching element. Geigel, however, discloses a bottom edge of the lower end comprises a straight seal between the left side edge and the right side edge (26 of Fig. II; col. 1 lines 43-47). It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the sleeve of de Klerk et al. by having a straight seal in the lower end so that the bag does not leak water when a floral grouping is place in the sleeve and further to have the sleeve completely tapered between the lower end and the detaching element so as to make a more "smooth" profile so as to meet consumer demand.

As to Claim 10, de Klerk et al. as modified by Geigel further disclose the floral sleeve sized to surround a floral grouping and pot. (Fig. 3).

As to Claim 11, de Klerk et al. as modified by Geigel further disclose the floral sleeve with a line of perforations (34 of Fig. 3).

Art Unit: 3643

As to Claim 12, de Klerk et al. discloses a flexible floral sleeve (Fig. 3) for containing a pot, comprising: a flattened body having a first panel, a second panel, an upper end, a left side edge absent a gusset (Fig. 3), lower end having a bottom edge (Fig. 3), a right side edge absent a gusset (Fig.3), and an inner retaining space, the flattened body further comprising a lower portion (region generally around 30 of Fig. 3) and an upper portion (35 of Fig. 3) which is detachable from the lower portion via a detaching element (34 of Fig. 3) between the upper portion and lower portion, and the lower portion comprising a skirt portion (region around end of leadline of 32 in Fig. 3), the upper edge having a nonlinear pattern (32 of Fig. 3), wherein the left side edge and the right side edge are angled inwardly near the lower end to form a half hexagonal shape (region generally around 33 of Fig. 3) in the lower end of the flattened body, and the flattened body absent a gusset in the lower end. Not disclosed is the bottom edge of the lower end comprises a straight seal between the left side edge and the right side edge, and the lower portion of the floral sleeve is completely tapered between the half hexagonal shape in the lower end and the detaching element. Geigel, however, discloses a bottom edge of the lower end comprises a straight seal between the left side edge and the right side edge (26 of Fig. II; col. 1 lines 43-47). It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the sleeve of de Klerk et al. by having a straight seal in the lower end so that the bag does not leak water when a floral grouping is place in the sleeve and further to have the sleeve completely tapered between the lower end and the detaching element so as to make a more "smooth" profile so as to meet consumer demand.

Art Unit: 3643

As to Claim 14, de Klerk et al. as modified by Geigel further disclose the floral sleeve sized to surround a floral grouping and pot. (Fig. 3).

As to Claim 15, de Klerk et al. as modified by Geigel further disclose the floral sleeve with a line of perforations (34 of Fig. 3).

Claims 2, 9, and 13 are rejected under 35 U.S.C. §103(a) as being unpatentable over de Klerk et al. (US 5,228,234; the 7th document from the bottom of page 5 of Applicant's 1449) in view of Geigel (US 3,357,152; the 2nd document from the bottom of page 2 of Applicant's 1449) in further view of Landau (US 5,235,782).

As to Claim 2, the limitations of Claim 1 are disclosed as described above. Not disclosed is the floral sleeve with the upper portion having apertures for supporting the floral sleeve upon a wicket. Landau, however, discloses an upper portion (28 of Fig. 1) with apertures (46 of Fig. 1) for wickets. It would have been obvious to one of ordinary skill in the art at the time of the invention to further modify the sleeve of de Klerk et al. as modified by Geigel by adding apertures for wickets as disclosed by Landau so that the sleeves could be readily stored before use.

As to Claim 9, the limitations of Claim 8 are disclosed as described above. Not disclosed is the floral sleeve with the upper portion having apertures for supporting the floral sleeve upon a wicket. Landau, however, discloses an upper portion (28 of Fig. 1) with apertures (46 of Fig. 1) for wickets. It would have been obvious to one of ordinary skill in the art at the time of the invention to further modify the sleeve of de Klerk et al. as modified by Geigel by adding

Art Unit: 3643

apertures for wickets as disclosed by Landau so that the sleeves could be readily stored before use.

As to Claim 13, the limitations of Claim 12 are disclosed as described above. Not disclosed is the floral sleeve with the upper portion having apertures for supporting the floral sleeve upon a wicket. Landau, however, discloses an upper portion (28 of Fig. 1) with apertures (46 of Fig. 1) for wickets. It would have been obvious to one of ordinary skill in the art at the time of the invention to further modify the sleeve of de Klerk et al. as modified by Geigel by adding apertures for wickets as disclosed by Landau so that the sleeves could be readily stored before use.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Weder et al. ('206 A1), Weder ('237 A1), Weder ('159 A1), JP9-12039, and JP11-334745 disclose in the art/prior art various sleeves with hexagonal lower ends.

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Jeffrey L. Gellner whose phone number is 703.305.0053. The Examiner can normally be reached Monday through Thursday from 8:30 am to 4:00 pm. The Examiner can also be reached on alternate Fridays.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's Supervisor, Peter Poon, can be reached at 703.308.2574. The official fax telephone number for the Technology Center where this application or proceeding is assigned is 703.872.9306.

Art Unit: 3643

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703.308.1113.

Jeffrey L. Gellner